		L #	Hits	Search Text	DBs
	1		550	frank\$3 and postage	US-PGPUB;
		L1			DERWENT;
					IBM_TDB
					US-PGPUB;
	2	L2	122	1 and verif\$8	DERWENT;
					IBM_TDB
	3	L3	1/h	2 and (payment of pay\$3 or paid)	US-PGPUB;
					DERWENT;
					IBM_TDB
1	4	L4	26	3 and @ad<"20011011"	US-PGPUB;
read (					DERWENT;
1					IBM_TDB
	_	L5	915	postage and verif\$8	US-PGPUB;
	5				DERWENT;
					IBM_TDB
	6	L6	628	5 and (payment of pay\$3 or paid)	US-PGPUB;
					DERWENT;
		<u> </u>			IBM_TDB
		ь7	227	6 and @ad<"20011011"  7 and ((track\$3 or trac\$3)	US-PGPUB;
					DERWENT;
					IBM_TDB
		T 0	F 0		US-PGPUB;
	8	L8 .	58	mear5 (code or number))	DERWENT;
					IBM_TDB
	9	L9	65		US-PGPUB;
	9	пэ	63		DERWENT;
					IBM TDB
	10	L10	61		US-PGPUB; DERWENT;
	10	110	01	•	IBM TDB
reod	1))	L11	57		
				10 not 4	US-PGPUB;
					DERWENT; IBM TDB
read (	12	L12	114	postage and (paid or pay\$5)	EPO; JPO
	131				EPO; JPO
	14				EPO; JPO
	<u>~</u>	птэ	4	12 and sort\$3	EPO; JPO

12/24/04, EAST Version: 2.0.1.4

		L #	Hits	Search Text	DBs
	1	L1	301	precode	USPAT
	2	L2	11	seed and 1	USPAT
	3	L3	1351	seed and encrypt\$3	USPAT
	4	L4	47405	result with cod\$3	USPAT
	5	L5	29051	result near5 cod\$3	USPAT
	6	L6	149	3 and 5	USPAT
	7	L7	135	6 and @ad<"20011011"	USPAT
	8	L8	4307	postage	USPAT
read	9	L9	62533	7 an d8	USPAT
	10	L10	53	7 and 8	USPAT
	<b>11</b> L11	L11	1385	seed and encrypt\$3	US-PGPUB;
					EPO; JPO
	12 L	L12 2	22994	result near5 cod\$3	US-PGPUB;
					EPO; JPO
	13	L13	166	11 and 12	US-PGPUB;
					EPO; JPO
	14	L14	54	13 and @ad<"20011011"	US-PGPUB;
					EPO; JPO
	13) L	L15 19	1 9	14 and (postage or frank\$3)	US-PGPUB;
					EPO; JPO

12/24/04, EAST Version: 2.0.1.4

		L #	Hits	Search Text	DBs
	1	L1	707	frank\$3 and postage	USPAT
	2	L2	171	1 and telephone	USPAT
	ფ	L3	46	1 and phone	USPAT
	4	L4	183	2 or 3	USPAT
1	<b>5</b> ³)	L5	1	4 and sms	USPAT
read (	6)	L6	7	4 and (short near2 message)	USPAT
•	7	L7	106	scanner and 1	USPAT
	8	L8	0	7 and videocod\$4	USPAT
cond (	6	L9	3	7 and (video near3 cod\$4)	USPAT
veold (	10	L10	919	scanner and (videocod\$3 or (video near3 cod\$3))	USPAT
Λ	11	L11	15	10 and postage	USPAT
read	12 )	L12	12	11 and @ad<"20011011"	USPAT

		L #	Hits	Search Text	DBs
	1	L1	19411/	multiple near6 (use or used or usage)	USPAT
read (	2	L2	293	1 with flag\$4	USPAT
	3	L3	3	(delet\$4 or remov\$3) same 2	USPAT
	4	L4	281	2 and @ad<"20011011"	USPAT
	5	L5	232	(delet\$4 or remov\$3) and 4	USPAT
read(	6	L6	1114	(delet\$4 or remov\$3) with 1	USPAT
	7	L7	232	5 and 4	USPAT
	8)	L8	4	6 and 4	USPAT
	9	L9	133770	-	US-PGPUB; EPO; JPO
	10	L10	77	19 WILD ILAGS4	US-PGPUB; EPO; JPO
ved (	11)	L11	38	IIU and @ad<"/box	US-PGPUB; EPO; JPO